





### Gotham Two:


Top 1 1/2" x 1" x 1/2" x 1/8" thick recessed channel



Bottom 1" x 1" x 1" x 1/8" thick surface mounted channel




Brushed Stainless Top Center-Hung Free Swing Pivot




- Surface Mount Top Pivot Type for Use with Patch Fittings
- Brushed Stainless Finish

## Medium Duty 90 Degree Hold Open Low Profile Floor Mounted Closer




- 264 Lb. Capacity, 42" Doors
- Low Profile 1-9/16" (40 mm) Depth
- Interchangeable Spindle Heights
- 5 Year Limited Warranty

## Brushed Stainless Bottom Door Patch



- 2-3/4" (70 mm) Pivot Setback
- For 3/8" or 1/2" (10 or 12 mm) Glass

## Brushed Stainless Top Door Patch



- For 3/8" or 1/2" (10 or 12 mm) Glass
- 2-3/4" (70 mm) Pivot Setback

## **Brushed Stainless Ladder Style Door Pull**



- For use with 3/8" (10 mm) or 1/2" (12 mm) Thick Glass
- Available in 24", 36", 48" or 60"

### **Available Gotham Two Finishes:**

*Brushed Stainless, Polished Stainless, Brass, Dark Bronze*

### **Available Gotham Two Upgrades:**

*Locking Hardware*

*Custom Color Finishes (ask for availability)*